

Massachusetts Department of Environmental Protection

Bureau of Resource Protection - Wetlands

WPA Emergency Certification Form

Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

A. Emergency Information

Important: When filling out forms on the computer, use only the tab key to move your cursor do not use the



return key.



New Bedford Issuance From: Issuing Authority

Route 1-195 East Bound at Exit 13B. Site Location:

Reason for Emergency:

Deisel Fuel release (50-100 gal.) to catch basins, pavement, surface water & soils. Immediate Respose Action for MA DEP RTN 4-27629.

3. Applicant to perform work:

Emergency Restoration and Clean Soils Environmental

Public agency to perform work or public agency ordering the work to be performed:

MADEP Bureau of Waste Site Clean up

Date of Site Visit:

Start Date:

End Date*: 3/25/2019

2/4/19 (Con Com)** (1/24/19 - DEP)

1/24/19

* no later than 30 days from start date or 60 days in the case of an Immediate Response Action approved by

DEP to address an oil/hazardous material release.

Work to be allowed*:

Surface cleanup of affected bituminous pavement and removal of affected soil. See attached figures for location of spill site and resource areas.

- ** Con Com visit has to be coordinated with LSP & State Police earliest date is 2/4/19 (Con Com agent not notified until 1/29/19). Clean up work started on the 1/24/19 under the direction of MA DEP Bureau of Waste Site Cleanup.
- * May not include work beyond that necessary to abate the emergency.

B. Signatures

Certified to be an Emergency by this Issuing Authority.

Signatures:

Sarah Porter

1/30/2019

A copy of this form must be provided to the appropriate DEP Regional Office.



Massachusetts Department of Environmental Protection

Bureau of Resource Protection - Wetlands

WPA Emergency Certification Form

Massachusetts Wetlands Protection Act M.G.L. c. 131, §40

C. General Conditions


- 1. Failure to comply with all conditions stated herein, and with all related statutes and other regulatory measures, shall be deemed cause to revoke or modify this Emergency Certification or subject to enforcement action.
- 2. This Emergency Certification does not grant any property rights or any exclusive privileges; it does not authorize any injury to private property or invasion of property rights.
- 3. This Emergency Certification does not relieve the applicant or any other person of the necessity of complying with all other applicable federal, state, or local statutes, ordinances, bylaws, or regulations.
- 4. Any work conducted beyond that described above, and any work conducted beyond that necessary to abate the emergency, shall require the filing of a Notice of Intent.
- 5. The Agent or members of the Conservation Commission and the Department of Environmental Protection shall have the right to enter and inspect the area subject to this Emergency Certification at reasonable hours to evaluate compliance with this Certification, and may require the submittal of any data deemed necessary by the Conservation Commission or the Department for that evaluation.
- 6. This Emergency Certification shall apply to any contractor or any other person performing work authorized under this Certification.
- 7. No work may be authorized beyond 30 days from the date of this certification without written approval of the Department.

D. Special Conditions


All work was/will be conducted under a MassDEP/BWSC Immediate Respose Action (IRA) and directed by the Mass Licensed Site Professional (LSP). MA DEP approved Emergency Response contractor conducted and will continue conducting the clean up. Affected soils to be transported the same day as excavated or stored in a lined dumpster outside of the 100' Buffer Zone. Erosion controls to be installed as necessary for excavation within the Resource Area (Bank) or the 100' Buffer Zone.

E. Appeals

The Department may, on its own motion or at the request of any person, review: an emergency certification issued by a conservation commission and any work permitted thereunder; a denial by a conservation commission of a request for emergency certification; or the failure by a conservation commission to act within 24 hours of a request for emergency certification. Such review shall not operate to stay the work permitted by the emergency certification unless the Department specifically so orders. The Department's review shall be conducted within seven days of: issuance by a conservation commission of the emergency certification; denial by a conservation commission of the emergency certification; or failure by a conservation commission to act within 24 hours of a request for emergency certification. If certification was improperly granted, or the work allowed thereunder is excessive or not required to protect the health and safety of citizens of the Commonwealth, the Department may revoke the emergency certification, condition the work permitted thereunder, or take such other action as it deems appropriate.









January 29, 2019

Wetlands

Estuarine and Marine Deepwater

Freshwater Pond Estuarine and Marine Wetland

Freshwater Emergent Wetland

Freshwater Forested/Shrub Wetland

Other

Riverine

National Wetlands Inventory (NW) This page was produced by the NWI mapper