

LONG-TERM POLLUTION PREVENTION AND O & M PLANS

As required by Standards 4 and 9 of the Stormwater Management Handbook, this Long-Term Pollution Prevention Plan (LTPPP) and the Operation & Maintenance Plan (OMP) have been developed for source control and pollution prevention at the site.

Maintenance Responsibility

The responsibility of the LTPPP and the OMP will be the responsibility of the Owner:

Anthony R. DeCosta dba A-1 Asphalt Co., Inc.
1861 Shawmut Ave., New Bedford, MA 02740

Good Housekeeping Practices

The site is to be kept clean of trash and debris at all times. Trash, junk and wastes shall not be left on the site and will be subject to removal at the owner's expense.

Requirements for Routine Inspection and Maintenance of Stormwater BMPs

All stormwater BMPs are to be inspected and maintained as follows:

<u>BMP Maintenance Schedule</u>			
BMP		Frequency	Comments
Grass channels & vegetated swales -			
(a)	Inspect channels for erosion and repair rills or gullies; replace dead vegetation:	Monthly	First year
		Every 6 months	After 1 year
(b)	Mow:	As needed	Max. 6" tall
(c)	Remove sediment & debris:	Every 6 months	
(d)	Reseed	As necessary	
(e)	Inspect stone checkdams & repair:	Every 6 months	
Sediment forebays:			
(a)	Inspect to ensure proper functioning:	Monthly	
(b)	Clean sediment & debris:	Every 3 months	More often if needed
Infiltration basins-			
(a)	Inspect to ensure proper functioning:	Every 3 months	
(b)	Mow slopes & remove trash & debris:	Every 6 months	
(c)	Clean sediment:	As necessary	

Notes:

1. Limited or no use of sodium chloride salts, fertilizers or pesticides on this site.

2. Haybales, straw wattles, silt fences and other temporary measures will be installed up-gradient of any wetland resource area where any disturbance or alteration might otherwise allow for erosion and sedimentation. They will be regularly inspected to ensure that they are functioning adequately. Additional supplies of these temporary measures will be stockpiled on site for any immediate needs or routine replacement.

Reporting & Record Keeping

The responsible party will be responsible for maintain accurate maintenance logs for all maintenance and inspections. A maintenance log will be kept on site to document required inspections and maintenance.

Training of Personnel Involved With Implementing LTPPP

The LTPPP is to be implemented by the Owner or his employees who have been trained by the Owner to implement the plan.

List of Emergency Contacts for Implementing the LTPPP

The Owner will be required to maintain an updated list of emergency contacts for the site. The list shall include police, fire and hazmat contacts, emergency medical contacts and others as recommended by the authorities having jurisdiction.

Emergency Response Plan / Spill Control Practices

In the event of an accident where a significant amount of gasoline, diesel fuel or other petroleum product is released, the following procedure should be followed:

1. Immediately contact the following agencies:

New Bedford Fire Department
Mass. DEP Emergency Response (888) 304-1133

2. Provide support to agencies listed above, which may include contacting an outside contractor to provide clean-up or contacting a Licensed Site Professional (LSP) to lead the clean-up.