



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

REPORT DATE 2/23/2009

TRC SOLUTIONS - LOWELL  
650 SUFFOLK STREET  
LOWELL, MA 01852  
ATTN: DAVID SULLIVAN

CONTRACT NUMBER:  
PURCHASE ORDER NUMBER:

PROJECT NUMBER:

#### ANALYTICAL SUMMARY

LIMS BAT #: LIMIT-23297

JOB NUMBER: 115058

PROJECT LOCATION: CITY OF NEW BEDFORD

FIELD SAMPLE #	LAB ID	MATRIX	SAMPLE DESCRIPTION	TEST	Subcontract Lab (if any) Cert. Nos.
POST-3E (18-24)	09B04283	SOIL	Not Specified	as (mg/kg)dw icp	
POST-3E (18-24)	09B04283	SOIL	Not Specified	pb (mg/kg)dw icp	
POST-3E (18-24)	09B04283	SOIL	Not Specified	solids (percent)	
POST-3E (24-30)	09B04284	SOIL	Not Specified	as (mg/kg)dw icp	
POST-3E (24-30)	09B04284	SOIL	Not Specified	pb (mg/kg)dw icp	
POST-3E (24-30)	09B04284	SOIL	Not Specified	solids (percent)	
POST-3E (30-36)	09B04285	SOIL	Not Specified	as (mg/kg)dw icp	
POST-3E (30-36)	09B04285	SOIL	Not Specified	pb (mg/kg)dw icp	
POST-3E (30-36)	09B04285	SOIL	Not Specified	solids (percent)	
POST-3E (36-42)QC	09B04286	SOIL	Not Specified	as (mg/kg)dw icp	
POST-3E (36-42)QC	09B04286	SOIL	Not Specified	pb (mg/kg)dw icp	
POST-3E (36-42)QC	09B04286	SOIL	Not Specified	solids (percent)	
POST-3E (42-48)	09B04287	SOIL	Not Specified	as (mg/kg)dw icp	
POST-3E (42-48)	09B04287	SOIL	Not Specified	pb (mg/kg)dw icp	
POST-3E (42-48)	09B04287	SOIL	Not Specified	solids (percent)	
POST-3E (48-54)	09B04288	SOIL	Not Specified	as (mg/kg)dw icp	
POST-3E (48-54)	09B04288	SOIL	Not Specified	pb (mg/kg)dw icp	
POST-3E (48-54)	09B04288	SOIL	Not Specified	solids (percent)	
POST-3E (54-60)	09B04289	SOIL	Not Specified	as (mg/kg)dw icp	
POST-3E (54-60)	09B04289	SOIL	Not Specified	pb (mg/kg)dw icp	
POST-3E (54-60)	09B04289	SOIL	Not Specified	solids (percent)	
POST-3E (60-66)	09B04290	SOIL	Not Specified	as (mg/kg)dw icp	
POST-3E (60-66)	09B04290	SOIL	Not Specified	pb (mg/kg)dw icp	
POST-3E (60-66)	09B04290	SOIL	Not Specified	solids (percent)	



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

REPORT DATE 2/23/2009

TRC SOLUTIONS - LOWELL  
650 SUFFOLK STREET  
LOWELL, MA 01852  
ATTN: DAVID SULLIVAN

CONTRACT NUMBER:  
PURCHASE ORDER NUMBER:

PROJECT NUMBER:

#### ANALYTICAL SUMMARY

LIMS BAT #: LIMIT-23297

JOB NUMBER: 115058

Comments :

LIMS BATCH NO. : LIMIT-23297

#### CASE NARRATIVE SUMMARY

Recommended sample holding times were not exceeded for all samples unless listed below:  
None Exceeded

All samples for the method(s) listed were received preserved properly in the proper containers at 4°C +/- 2 degrees as specified on the chain-of-custody form unless listed below:  
All properly preserved

There are no analytical issues which affect the usability of the data.

#### DETAILED CASE NARRATIVE

##### METHOD SW846-6010 - ADDITIONAL DETAILS

Sample duplicate and ms performed on sample 09B04286.  
Sample 09B04290 was diluted 1:10 to obtain a result within the linear dynamic range.  
Only As and Pb results were requested and reported.

The results of analyses performed are based on samples as submitted to the laboratory and relate only to the items collected and tested.

The CON-TEST Environmental Laboratory operates under the following certifications and accreditations. AIHA accreditations only apply to NIOSH methods and Environmental Lead Analyses.

AIHA 100033	AIHA ELLAP (LEAD) 100033	NORTH CAROLINA CERT. # 652
MASSACHUSETTS MA0100	NEW HAMPSHIRE NELAP 2516	NEW JERSEY NELAP NJ MA007 (AIR)
CONNECTICUT PH-0567	VERMONT DOH (LEAD) No. LL015036	FLORIDA DOH E871027 (AIR)
NEW YORK ELAP/NELAP 10899	RHODE ISLAND (LIC. No. 112)	

I certify that the analyses listed above, unless specifically listed as subcontracted, if any, were performed under my direction according to the approved methodologies listed in this document, and that based upon my inquiry of those individuals immediately responsible for obtaining the information, the material contained in this report is, to the best of my knowledge and belief, accurate and complete.

*Edward Denson* 2/23/09

SIGNATURE

DATE

Tod Kopyscinski  
Air Laboratory Manager

Michael Erickson  
Assistant Laboratory Director

Edward Denson  
Technical Director

Daren Damboragian  
Organics Department Supervisor

\* See end of data tabulation for notes and comments pertaining to this sample

DAVID SULLIVAN  
TRC SOLUTIONS - LOWELL  
650 SUFFOLK STREET  
LOWELL, MA 01852

2/23/2009  
Page 1 of 7

Purchase Order No.:

Project Location: CITY OF NEW BEDFORD  
Date Received: 2/16/2009

LIMS-BAT #: LIMIT-23297  
Job Number: 115058

**Field Sample # : POST-3E (18-24)**

**Sample ID :** 09B04283      ‡Sampled : 2/16/2009  
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Arsenic	mg/kg dry wt	ND	02/20/09	KSH	2.71		

**Field Sample # : POST-3E (24-30)**

**Sample ID :** 09B04284      ‡Sampled : 2/16/2009  
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Arsenic	mg/kg dry wt	8.30	02/20/09	KSH	2.82		

**Field Sample # : POST-3E (30-36)**

**Sample ID :** 09B04285      ‡Sampled : 2/16/2009  
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Arsenic	mg/kg dry wt	5.78	02/20/09	KSH	2.81		

**Field Sample # : POST-3E (36-42)QC**

**Sample ID :** 09B04286      ‡Sampled : 2/16/2009  
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Arsenic	mg/kg dry wt	5.55	02/20/09	KSH	2.88		

**Field Sample # : POST-3E (42-48)**

**Sample ID :** 09B04287      ‡Sampled : 2/16/2009  
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Arsenic	mg/kg dry wt	4.59	02/20/09	KSH	2.85		

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

\* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

DAVID SULLIVAN  
TRC SOLUTIONS - LOWELL  
650 SUFFOLK STREET  
LOWELL, MA 01852

2/23/2009  
Page 2 of 7

Purchase Order No.:

Project Location: CITY OF NEW BEDFORD  
Date Received: 2/16/2009

LIMS-BAT #: LIMIT-23297  
Job Number: 115058

**Field Sample # : POST-3E (48-54)**

**Sample ID : 09B04288** ‡Sampled : 2/16/2009  
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Arsenic	mg/kg dry wt	5.32	02/20/09	KSH	2.82		

**Field Sample # : POST-3E (54-60)**

**Sample ID : 09B04289** ‡Sampled : 2/16/2009  
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Arsenic	mg/kg dry wt	8.94	02/20/09	KSH	2.87		

**Field Sample # : POST-3E (60-66)**

**Sample ID : 09B04290** ‡Sampled : 2/16/2009  
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Arsenic	mg/kg dry wt	13.8	02/20/09	KSH	3.41		

Analytical Method:

SW846 3050/6010

SAMPLES ARE DIGESTED WITH NITRIC ACID AND THEN ANALYZED BY  
INDUCTIVELY COUPLED PLASMA EMISSION SPECTROSCOPY.

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

\* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

SPEC LIMIT = a client specified recommended or  
regulatory level for comparison with data to  
determine PASS (P) or FAIL (F) condition of results.

DAVID SULLIVAN  
TRC SOLUTIONS - LOWELL  
650 SUFFOLK STREET  
LOWELL, MA 01852

2/23/2009  
Page 3 of 7

Purchase Order No.:

Project Location: CITY OF NEW BEDFORD

LIMS-BAT #: LIMIT-23297

Date Received: 2/16/2009

Job Number: 115058

Field Sample #: POST-3E (18-24)

Sample ID : 09B04283      ‡Sampled : 2/16/2009  
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Lead	mg/kg dry wt	31.3	02/20/09	KSH	0.82		

Field Sample #: POST-3E (24-30)

Sample ID : 09B04284      ‡Sampled : 2/16/2009  
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Lead	mg/kg dry wt	163	02/20/09	KSH	0.85		

Field Sample #: POST-3E (30-36)

Sample ID : 09B04285      ‡Sampled : 2/16/2009  
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Lead	mg/kg dry wt	13.8	02/20/09	KSH	0.85		

Field Sample #: POST-3E (36-42)QC

Sample ID : 09B04286      ‡Sampled : 2/16/2009  
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Lead	mg/kg dry wt	24.1	02/20/09	KSH	0.87		

Field Sample #: POST-3E (42-48)

Sample ID : 09B04287      ‡Sampled : 2/16/2009  
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Lead	mg/kg dry wt	26.9	02/20/09	KSH	0.86		

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

\* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

DAVID SULLIVAN  
TRC SOLUTIONS - LOWELL  
650 SUFFOLK STREET  
LOWELL, MA 01852

2/23/2009  
Page 4 of 7

Purchase Order No.:

Project Location: CITY OF NEW BEDFORD  
Date Received: 2/16/2009

LIMS-BAT #: LIMIT-23297  
Job Number: 115058

**Field Sample # : POST-3E (48-54)**

**Sample ID : 09B04288**      ‡Sampled : 2/16/2009  
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Lead	mg/kg dry wt	29.2	02/20/09	KSH	0.85		

**Field Sample # : POST-3E (54-60)**

**Sample ID : 09B04289**      ‡Sampled : 2/16/2009  
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Lead	mg/kg dry wt	18.9	02/20/09	KSH	0.86		

**Field Sample # : POST-3E (60-66)**

**Sample ID : 09B04290**      ‡Sampled : 2/16/2009  
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Lead	mg/kg dry wt	4150	02/20/09	KSH	1.03		

Analytical Method:

SW846 3050/6010

SAMPLES ARE DIGESTED WITH NITRIC ACID AND THEN ANALYZED BY  
INDUCTIVELY COUPLED PLASMA EMISSION SPECTROSCOPY.

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

\* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

SPEC LIMIT = a client specified recommended or  
regulatory level for comparison with data to  
determine PASS (P) or FAIL (F) condition of results.

DAVID SULLIVAN  
TRC SOLUTIONS - LOWELL  
650 SUFFOLK STREET  
LOWELL, MA 01852

2/23/2009  
Page 5 of 7

Purchase Order No.:

Project Location: CITY OF NEW BEDFORD  
Date Received: 2/16/2009

LIMS-BAT #: LIMIT-23297  
Job Number: 115058

**Field Sample # : POST-3E (18-24)**

**Sample ID : 09B04283** ‡Sampled : 2/16/2009  
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	92.3	02/18/09	FD			

**Field Sample # : POST-3E (24-30)**

**Sample ID : 09B04284** ‡Sampled : 2/16/2009  
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	88.8	02/18/09	FD			

**Field Sample # : POST-3E (30-36)**

**Sample ID : 09B04285** ‡Sampled : 2/16/2009  
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	89.1	02/18/09	FD			

**Field Sample # : POST-3E (36-42)QC**

**Sample ID : 09B04286** ‡Sampled : 2/16/2009  
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	87.1	02/18/09	FD			

**Field Sample # : POST-3E (42-48)**

**Sample ID : 09B04287** ‡Sampled : 2/16/2009  
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	88.0	02/18/09	FD			

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

\* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

DAVID SULLIVAN  
TRC SOLUTIONS - LOWELL  
650 SUFFOLK STREET  
LOWELL, MA 01852

2/23/2009  
Page 6 of 7

Purchase Order No.:

Project Location: CITY OF NEW BEDFORD  
Date Received: 2/16/2009

LIMS-BAT #: LIMIT-23297  
Job Number: 115058

**Field Sample # : POST-3E (48-54)**

**Sample ID : 09B04288**      ‡Sampled : 2/16/2009  
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	88.8	02/18/09	FD			

**Field Sample # : POST-3E (54-60)**

**Sample ID : 09B04289**      ‡Sampled : 2/16/2009  
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	87.3	02/18/09	FD			

**Field Sample # : POST-3E (60-66)**

**Sample ID : 09B04290**      ‡Sampled : 2/16/2009  
Not Specified

Sample Matrix: SOIL

	Units	Results	Date Analyzed	Analyst	RL	SPEC Limit Lo Hi	P/ F
Solids, total	%	73.4	02/18/09	FD			

Analytical Method:

SM 2540G

PERCENT OF SAMPLE REMAINING AFTER DRYING OVERNIGHT AT 103-105 DEGREES CENTIGRADE.

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

\* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.



DAVID SULLIVAN  
TRC SOLUTIONS - LOWELL  
650 SUFFOLK STREET  
LOWELL, MA 01852

2/23/2009  
Page 7 of 7

Purchase Order No.:

Project Location: CITY OF NEW BEDFORD  
Date Received: 2/16/2009

LIMS-BAT #: LIMIT-23297  
Job Number: 115058

\*\* END OF REPORT \*\*

RL = Reporting Limit

ND = Not Detected at or above the Reporting Limit

NM = Not Measured

\* = See end of report for comments and notes applying to this sample

‡ = See attached chain-of-custody record for time sampled

SPEC LIMIT = a client specified recommended or regulatory level for comparison with data to determine PASS (P) or FAIL (F) condition of results.

### QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 2/23/2009

Lims Bat # : LIMIT-23297

Page 1 of 2

QC Batch Number: ICP-21199

Sample Id	Analysis	QC Analysis	Values	Units	Limits
09B04286	Arsenic	Sample Amount	5.54	mg/kg dry wt	
		Duplicate Value	5.45	mg/kg dry wt	
		Duplicate RPD	1.70	%	0-35
		Sample Amount	5.54	mg/kg dry wt	
		Matrix Spk Amt Added	28.70	mg/kg dry wt	
		MS Amt Measured	31.65	mg/kg dry wt	
		Matrix Spike % Rec.	90.97	%	75-125
	Lead	Sample Amount	24.08	mg/kg dry wt	
		Duplicate Value	21.50	mg/kg dry wt	
		Duplicate RPD	11.32	%	0-35
		Sample Amount	24.08	mg/kg dry wt	
		Matrix Spk Amt Added	28.70	mg/kg dry wt	
		MS Amt Measured	47.52	mg/kg dry wt	
		Matrix Spike % Rec.	81.64	%	75-125
BLANK-129776	Arsenic	Blank	<2.50	mg/kg dry wt	
	Lead	Blank	<0.75	mg/kg dry wt	
LFBLANK-91883	Arsenic	Lab Fort Blank Amt.	123.00	mg/kg dry wt	
		Lab Fort Blk. Found	124.19	mg/kg dry wt	
		Lab Fort Blk. % Rec.	100.96	%	80-120
		Dup Lab Fort Bl Amt.	123.00	mg/kg dry wt	
		Dup Lab Fort Bl. Fnd	126.06	mg/kg dry wt	
		Dup Lab Fort Bl %Rec	102.48	%	80-120
		Lab Fort Blank Range	1.52	units	
		Lab Fort Bl. Av. Rec	101.72	%	
		LFB Duplicate RPD	1.49	%	0-30
	Lead	Lab Fort Blank Amt.	136.00	mg/kg dry wt	
		Lab Fort Blk. Found	122.21	mg/kg dry wt	
		Lab Fort Blk. % Rec.	89.86	%	82-118
		Dup Lab Fort Bl Amt.	136.00	mg/kg dry wt	
		Dup Lab Fort Bl. Fnd	129.07	mg/kg dry wt	
		Dup Lab Fort Bl %Rec	94.90	%	82-118
		Lab Fort Blank Range	5.04	units	
		Lab Fort Bl. Av. Rec	92.38	%	
		LFB Duplicate RPD	5.46	%	0-30



39 Spruce Street ° East Longmeadow, MA 01028 ° FAX 413/525-6405 ° TEL. 413/525-2332

### QC SUMMARY REPORT

SAMPLE QC: Sample Results with Duplicates

Sample Matrix Spikes and Matrix Spike Duplicates

BATCH QC: Lab fortified Blanks and Duplicates

Standard Reference Materials and Duplicates

Method Blanks

Report Date: 2/23/2009

Lims Bat #: LIMIT-23297

Page 2 of 2

### QUALITY CONTROL DEFINITIONS AND ABBREVIATIONS

QC BATCH NUMBER	This is the number assigned to all samples analyzed together that would be subject to comparison with a particular set of Quality Control Data.
LIMITS	Upper and Lower Control Limits for the QC ANALYSIS Reported. All values normally would fall within these statistically determined limits, unless there is an unusual circumstance that would be documented in a NOTE appearing on the last page of the QC SUMMARY REPORT. Not all QC results will have Limits defined.
Sample Amount	Amount of analyte found in a sample.
Blank	Method Blank that has been taken through all the steps of the analysis.
LFBLANK	Laboratory Fortified Blank (a control sample)
STDADD	Standard Added (a laboratory control sample)
Matrix Spk Amt Added	Amount of analyte spiked into a sample
MS Amt Measured	Amount of analyte found including amount that was spiked
Matrix Spike % Rec.	% Recovery of spiked amount in sample.
Duplicate Value	The result from the Duplicate analysis of the sample.
Duplicate RPD	The Relative Percent Difference between two Duplicate Analyses.
Surrogate Recovery	The % Recovery for non-environmental compounds (surrogates) spiked into samples to determine the performance of the analytical methods.
Sur. Recovery (ELCD)	Surrogate Recovery on the Electrolytic Conductivity Detector.
Sur. Recovery (PID)	Surrogate Recovery on the Photoionization Detector.
Standard Measured	Amount measured for a laboratory control sample
Standard Amt Added	Known value for a laboratory control sample
Standard % Recovery	% recovered for a laboratory control sample with a known value.
Lab Fort Blank Amt	Laboratory Fortified Blank Amount Added
Lab Fort Blk. Found	Laboratory Fortified Blank Amount Found
Lab Fort Blk % Rec	Laboratory Fortified Blank % Recovered
Dup Lab Fort Bl Amt	Duplicate Laboratory Fortified Blank Amount Added
Dup Lab Fort Bl Fnd	Duplicate Laboratory Fortified Blank Amount Found
Dup Lab Fort Bl % Rec	Duplicate Laboratory Fortified Blank % Recovery
Lab Fort Blank Range	Laboratory Fortified Blank Range (Absolute value of difference between recoveries for Lab Fortified Blank and Lab Fortified Blank Duplicate).
Lab Fort Bl. Av. Rec.	Laboratory Fortified Blank Average Recovery
Duplicate Sample Amt	Sample Value for Duplicate used with Matrix Spike Duplicate
MSD Amount Added	Matrix Spike Duplicate Amount Added (Spiked)
MSD Amt Measured	Matrix Spike Duplicate Amount Measured
MSD % Recovery	Matrix Spike Duplicate % Recovery
MSD Range	Absolute difference between Matrix Spike and Matrix Spike Duplicate Recoveries

## MADEP MCP ANALYTICAL METHOD REPORT CERTIFICATION FORM

Laboratory Name: **CON-TEST Analytical Laboratory**

Project #: **LMT-23297**

Project Location: **CITY OF NEW BEDFORD**

MADEP RTN<sup>1</sup>:

This Form provides certifications for the following data set: [list Laboratory Sample ID Number(s)]

**09B04283-09B04290**

Sample Matrices: ☐ Groundwater ☒ Soil/Sediment ☐ Drinking Water ☐ Other:

**MCP SW-846  
Methods Used**

8260B ( )

8151A ( )

8330 ( )

6010B (X)

7470A/1A ( )

8270C ( )

8081A ( )

VPH ( )

6020 ( )

9014M<sup>2</sup> ( )

As specified in MADEP  
Compendium of  
Analytical Methods.  
(check all that apply)

8082 ( )

8021B ( )

EPH ( )

7000 S<sup>3</sup> ( )

7196A ( )

1 List Release Tracking Number (RTN), if known

2 M – SW-846 Method 9014 or MADEP Physiologically Available Cyanide (PAC) Method

3 S – SW-846 Methods 7000 Series List individual method and analyte.

**An affirmative response to questions A, B, C and D is required for "Presumptive Certainty" status**

<b>A</b>	Were all samples received by the laboratory in a condition consistent with that described on the Chain-of-Custody documentation for the data set?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <sup>1</sup>
<b>B</b>	Were all QA/QC procedures required for the specified analytical method(s) included in this report followed, including the requirement to note and discuss in a narrative QC data that did not meet appropriate performance standards or guidelines?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <sup>1</sup>
<b>C</b>	Does the data included in this report meet all the analytical requirements for "Presumptive Certainty", as described in Section 2.0 (a), (b), (c) and (d) of the MADEP document CAM VII A, "Quality Assurance and Quality Control Guidelines for the Acquisition and Reporting of Analytical Data"?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <sup>1</sup>
<b>D</b>	<b>VPH and EPH Methods only:</b> Was the VPH or EPH Method conducted without significant modifications (see Section 11.3 of respective Methods)	<input type="checkbox"/> Yes <input type="checkbox"/> No <sup>1</sup>

**A response to questions E and F below is required for "Presumptive Certainty" status**

<b>E</b>	Were all analytical QC performance standards and recommendations for the specified methods achieved?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <sup>1</sup>
<b>F</b>	Were results for all analyte-list compounds/elements for the specified method(s) reported?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <sup>1</sup>

<sup>1</sup> All Negative responses must be addressed in an attached Environmental Laboratory case narrative.

**I, the undersigned, attest under the pains and penalties of perjury that, based upon my personal inquiry of those responsible for obtaining the information, the material contained in this analytical report is, to the best of my knowledge and belief, accurate and complete.**

Signature: Edward Denson

Position: Technical Director

Printed Name: Edward Denson

Date: 2/23/09



Phone: 413-525-2332  
Fax: 413-525-6405  
Email: info@contestlabs.com  
www.contestlabs.com

# CHAIN OF CUSTODY RECORD

39 SPRUCE ST, 2ND FLOOR  
EAST LONGMEADOW, MA 01028

Page 7 of 9

Company Name: TAC  
Address: 650 South St.  
Lancaster MA 01854

Telephone: 413-606-3565  
Project # 115058

Client PO #

Attention: David Sullivan

Project Location: City of NB (Walsh)

Sampled By: Jeff Sanders

Proposal Provided? (For Billing purposes)

☒ yes Unknown proposal date

State Form Required?

☒ yes ☐ no

DATA DELIVERY (check one):

☐ FAX ☒ EMAIL ☐ WEBSITE CLIENT

Fax #:

Email: dsullivan@contestlabs.com

Format: ☒ EXCEL ☐ PDF ☒ GIS KEY

☐ OTHER

Date Sampled

Start Date/Time Step Date/Time Comp- osite Grab Matrix | Conc. Code Code

Field ID	Sample Description	Lab #	Start Date/Time	Step Date/Time	Comp- osite	Grab	Matrix   Conc. Code	Code	
	Post-3E (18-24)	014283	2/16/09	1434			C	S	u
	Post-3E (24-30)	014284		1436					
	Post-3E (30-36)	014285		1438					
	Post-3E (36-42) (plus)	014286		1440					
	Post-3E (42-48)	014287		1442					
	Post-3E (48-54)	014288		1500					
	Post-3E (54-60)	014289		1502					
	Post-3E (60-66)	014291	2/16/09	1504			C	S	u

Field ID Sample Description Lab # 014283 014284 014285 014286 014287 014288 014289 014291

Post-3E (18-24) Post-3E (24-30) Post-3E (30-36) Post-3E (36-42) (plus) Post-3E (42-48) Post-3E (48-54) Post-3E (54-60) Post-3E (60-66)

014283 014284 014285 014286 014287 014288 014289 014291

1434 1436 1438 1440 1442 1500 1502 1504

C S u

X X X X X X X X

X X X X X X X X

X X X X X X X X

X X X X X X X X

X X X X X X X X

X X X X X X X X

X X X X X X X X

X X X X X X X X

X X X X X X X X

X X X X X X X X

X X X X X X X X

X X X X X X X X

X X X X X X X X

X X X X X X X X

X X X X X X X X

X X X X X X X X

X X X X X X X X

X X X X X X X X

X X X X X X X X

X X X X X X X X

X X X X X X X X

X X X X X X X X

X X X X X X X X

# of containers  
\*\*Preservation  
-Cont. Code

ANALYSIS REQUESTED

-Cont. Code:  
A=amber glass  
G=glass  
P=plastic  
ST=sterile  
V=vial  
S=summa can  
T=tedlar bag  
O=Other

Client Comments:

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in Matrix/Conc. Code Box:

H - High; M - Medium; L - Low; C - Clean; U - Unknown

Turnaround \*\*

☐ 7-Day

☐ 10-Day

☒ Other 5 Day

RUSH

☐ \*24-Hr ☐ \*48-Hr

☐ \*72-Hr ☐ \*4-Day

\* Require lab approval

Detection Limit Requirements

Regulations? MCP 5-1/5-2

Data Enhancement Project/RCP? ☒ Y ☐ N

Special Requirements or DL's: See Data

-Matrix Code:

GW = groundwater

WW = wastewater

DW = drinking water

A = air

S = soil/solid

SL = sludge

\*\*Preservation Codes:

I = iced

H = HCL

M = Methanol

N = Nitric Acid

S = Sulfuric Acid

B = Sodium bisulfate

O = Other

X = Na hydroxide

T = Na thiosulfate

AIHA, NELAP & WBE/DBE Certified

\*\* TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT.



Phone: 413-525-2332

Fax: 413-525-6405

Email: info@contestlabs.com

www.contestlabs.com

## CHAIN OF CUSTODY RECORD

39 SPRUCE ST, 2ND FLOOR  
EAST LONGMEADOW, MA 01028

Page 1 of 7

Company Name:

TRC

Address:

650 Southway, South St.

Lowell MA 01854

Attention:

David Sullivan

Project Location: City of New Bedford (Lubish)

Sampled By: Jeff Saunders

Proposal Provided? (For Billing purposes)

☒ Yes ☐ Unknown proposal date

State Form Required?

☒ Yes ☐ No

Telephone: (978) 656-3565

Project # 115058

Client PO #

DATA DELIVERY (check one):

☐ FAX ☒ EMAIL ☐ WEBSITE CLIENT

Fax #:

Email: delivery@contestlabs.com

Format: ☒ EXCEL ☐ PDF ☒ GIS KEY☐ OTHER

Date Sampled

Start Date/Time

Stop Date/Time

Comp. osite

Grab

Matrix Code

Conc. Code

Total Arsenic

Total Lead

ANALYSIS REQUESTED

-Cont. Code:

A=amber glass

G=glass

P=plastic

ST=sterile

V=vial

S=summary can

T=tedlar bag

O=Other

Comments:

Client

# of containers

\*\*Preservation

-Cont. Code

\*Matrix Code:

GW=groundwater

WW=wastewater

DW=drinking water

A=air

S=soil/solid

SL=sludge

O=other

\*\*Preservation Codes:

I=iced

H=HCL

M=Methanol

N=Nitric Acid

S=Sulfuric Acid

B=Sodium bisulfate

O=Other

X=Na hydroxide

T=Na thiosulfate

H-High; M-Medium; L-Low; C-Clean; U-Unknown

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in Matrix/Conc. Code Box:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)

Date/Time:

Received by: (signature)

Date/Time:

Relinquished by: (signature)



Phone: 413-525-2332  
Fax: 413-525-6405  
Email: info@contestlabs.com  
www.contestlabs.com

# CHAIN OF CUSTODY RECORD

39 SPRUCE ST, 2ND FLOOR  
EAST LONGMEADOW, MA 01028

Page 2 of 4

Company Name: TEL

Address: 650 S. Folk St.

Lowell MA 01854

Attention: David Sullivan

Project Location: City of NIS (Walsh)

Sampled By: JFF Saunders

Proposal Provided? (For Billing purposes)

☒ yes Unknown proposal date

State Form Required?

☒ yes ☐ no

Telephone: (478) 656-3565  
Project # 115058  
Client PO #

DATA DELIVERY (check one):  
☐ FAX ☒ EMAIL ☐ WEBSITE CLIENT

Fax #:

Email: dsullivan@contestlabs.com  
Format: ☒ EXCEL ☐ PDF ☒ GIS KEY

☐ OTHER

Date Sampled

Start Date/Time	Step Date/Time	Comp-oste	Grab	*Matrix   Conc. Code   Code
2/16/09 10:21				G S U
2/16/09 10:54				X X
2/16/09 10:56				X X
2/16/09 11:00				X X
2/16/09 11:02				X X
2/16/09 11:04				X X
2/16/09 11:06				X X

Field ID Sample Description Lab #

Post-3(R) (40-45)

Post-3(R) (48-54)

Post-3(R) (54-60)

Post-3(R) (60-66)

Post-3(R) (66-72)

Post-3(R) (72-78)

Post-3(R) (78-84)

Post-3(R) (84-90)

Laboratory Comments:

Relinquished by (signature) [Signature] Date/Time: 2/16/09 15:45

Received by (signature) [Signature] Date/Time: 2/16/09 15:45

Relinquished by (signature) [Signature] Date/Time: 2-16-9 18:15

Received by (signature) [Signature] Date/Time: 2/16/09 18:15

## ANALYSIS REQUESTED

Cont. Code: Cont. Code:  
A=amber glass  
G=glass  
P=plastic  
ST=sterile  
V=vial  
S=summary can  
T=tedar bag  
O=Other

Client Comments:

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in Matrix/Conc. Code Box:  
H - High; M - Medium; L - Low; C - Clean; U - Unknown

## Turnaround \*\*

☐ 7-Day  
☐ 10-Day  
☒ Other 5 Day  
RUSH \*

☐ \*24-Hr ☐ \*48-Hr  
☐ \*72-Hr ☐ \*4-Day

\* Require lab approval

## Detection Limit Requirements

Regulations? MLR 5-1/3-2

Data Enhancement Project/RCP? ☒ Y ☐ N

Special Requirements or DL's: See Note

## Matrix Code:

GW = groundwater  
WW = wastewater  
DW = drinking water  
A = air  
S = soil/solid  
SL = sludge  
O = other

## Preservation Codes:

I = Iced X = Na hydroxide  
H = HCL T = Na thiosulfate  
M = Methanol  
N = Nitric Acid  
S = Sulfuric Acid  
B = Sodium bisulfate  
O = Other

\*\* TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT.

AIHA, NELAP & WBE/DBE Certified



## CHAIN OF CUSTODY RECORD

39 SPRUCE ST, 2ND FLOOR  
EAST LONGMEADOW, MA 01028

Page 3 of 9

Phone: 413-525-2332  
Fax: 413-525-6405  
Email: info@contestlabs.com  
www.contestlabs.com

Company Name: TRC

Address: 650 Suffolk St.

Lowell MA 01854

Attention: David Sullivan

Project Location: City of NB (Walsh)

Sampled By: Jeff Sanders

Proposal Provided? (For Billing purposes)

yes ☒ no ☐

State Form Required?

yes ☒ no ☐

Telephone: (978) 656-3565

Project # 115058

Client PO #

DATA DELIVERY (check one):

☐ FAX ☒ EMAIL ☐ WEBSITE CLIENT

Fax #:

Email: daniel@contestlabs.com

Format: ☒ EXCEL ☐ PDF ☒ GIS KEY☐ OTHER

Date Sampled

Start Date/Time

Stop Date/Time

Comp- osite

Grab

Matrix Code

Conc. Code

Total Arsenic

Total Lead

ANALYSIS REQUESTED

# of containers

Preservation

Cont. Code

Cont. Code:

A=amber glass

G=glass

P=plastic

ST=sterile

V=vial

S=summary can

T=tedlar bag

O=Other

Client

Comments:

Field ID	Sample Description	Lab #	Start Date/Time	Stop Date/Time	Comp- osite	Grab	Matrix Code	Conc. Code	Total Arsenic	Total Lead	ANALYSIS REQUESTED	# of containers	Preservation	Cont. Code
Post-3(R)	(90-96)		2/16/09	1108			6	5	u	X	X			
Post-3A	(16-12)			1124						X	X			
Post-3A	(12-18)			1126						X	X			
Post-3A	(18-24)			1128						X	X			
Post-3A	(24-30)			1130						X	X			
Post-3A	(30-36)			1132						X	X			
Post-3A	(36-42)			1134						X	X			
Post-3A	(42-48)		2/16/09	1136			6	5	u	X	X			

Laboratory Comments:

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in Matrix/Conc. Code Box:

H - High; M - Medium; L - Low; C - Clean; U - Unknown

Turnaround \*\*

☐ 7-Day☐ 10-Day☒ Other 5 days

FUSH \*

☐ \*24-Hr ☐ \*48-Hr☐ \*72-Hr ☐ \*4-Day

\* Require lab approval

Detection Limit Requirements

Regulations? MLP 5-1/5-2Data Enhancement Project/RCP? ☒ Y ☐ NSpecial Requirements or DL's: See Quote

Matrix Code:

GW = groundwater

WW = wastewater

DW = drinking water

A = air

Preservation Codes:

I = iced

H = HCL

M = Methanol

N = Nitric Acid

S = Sulfuric Acid

B = Sodium bisulfate

O = Other

TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT.

AIHA, NELAP &amp; WBE/DBE Certified







Phone: 413-525-2332

Fax: 413-525-6405

Email: info@contestlabs.com

www.contestlabs.com

# CHAIN OF CUSTODY RECORD

39 SPRUCE ST, 2ND FLOOR  
EAST LONGMEADOW, MA 01028

Page 5 of 9

Company Name: Tec

Address: 650 Suffolk St.

Lowell MA 01554

Attention: Daniel Sullivan

Project Location: City of W.B. (Wash)

Sampled By: Jeff Saunders

Proposal Provided? (For Billing purposes)

☒ yes like new proposal date

State Form Required?

☒ yes ☐ no

Telephone: 978 636-3585  
Project # 115058  
Client PO #

DATA DELIVERY (check one):

☐ FAX ☒ EMAIL ☐ WEBSITE CLIENT

Fax #:

Email: delliv@contestlabs.com

Format: ☒ EXCEL ☐ PDF ☒ GIS KEY

☐ OTHER

Field ID	Sample Description	Lab #	Start Date/Time	Stop Date/Time	Comp. site	Grab	*Matrix Code	*Conc. Code
Post-38	(36-42)		2/16/09	1222			C	S
Post-38	(42-48)			1224				U
Post-38	(48-54)			1236				
Post-38	(54-60)			1238				
Post-38	(60-66)			1240				
Post-38	(66-72)			1242				
Post-38	(72-78)			1244				
Post-38	(78-84)		2/16/09	1246			C	S

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in Matrix/Conc. Code Box:

H - High; M - Medium; L - Low; C - Clean; U - Unknown

Relinquished by: (signature)	Date/Time: 2/16/09 1545	Turnaround ** <input type="checkbox"/> 7-Day <input type="checkbox"/> 10-Day <input checked="" type="checkbox"/> Other: <u>5 days</u> RUSH *	Detection Limit Requirements Regulations? <u>MLP 5-1/5-7</u>	*Matrix Code: GW = groundwater WW = wastewater DW = drinking water A = air S = soil/solid SL = sludge O = other	**Preservation Codes: I = Iced H = HCL M = Methanol N = Nitric Acid S = Sulfuric Acid B = Sodium Bisulfate O = Other
Received by: (signature)	Date/Time: 2/16/09 1545		Data Enhancement Project/RCP? <input type="checkbox"/> Y <input checked="" type="checkbox"/> N		
Relinquished by: (signature)	Date/Time: 2/16/09 1815		Special Requirements or DL's: <u>See Attach</u>		
Received by: (signature)	Date/Time: 2/16/09 1815				

\*\* TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT.



Phone: 413-525-2332  
Fax: 413-525-6405  
Email: info@contestlabs.com  
www.contestlabs.com

# CHAIN OF CUSTODY RECORD

39 SPRUCE ST, 2ND FLOOR  
EAST LONGMEADOW, MA 01028

Company Name:

TRC

Address:

650 Suffolk St.

Lowell MA 01854

Attention:

David Sullivan

Project Location:

City of Alb (Walsh)

Sampled By:

Jeff Saunders

Proposal Provided? (For Billing purposes)

☒ Yes ☐ Unknown ☐ No

State Form Required?

☒ Yes ☐ No

Telephone: (478) 656-3565  
Project # 115058  
Client PO #

DATA DELIVERY (check one):  
☒ FAX ☐ EMAIL ☐ WEBSITE CLIENT

Fax #:

Email: dsullivan@trc-labs.com  
Format: ☒ EXCEL ☐ PDF ☒ GIS KEY

☐ OTHER

Date Sampled

Start Date/Time Stop Date/Time

2/16/09 1300 2/16/09 1322

1310 1312 1314 1316 1318

1320 1322

1320 1322

1320 1322

1320 1322

1320 1322

1320 1322

1320 1322

1320 1322

1320 1322

1320 1322

1320 1322

1320 1322

Total Arsenic  
Total Lead

ANALYSIS REQUESTED

# of containers  
\*\*Preservation  
-Cont Code

-Cont Code:

A=amber glass

G=glass

P=plastic

ST=sterile

V=vial

S=summary can

T=redlar bag

O=Other

Comments:

Laboratory Comments:

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in Matrix/Conc. Code Box:

H - High; M - Medium; L - Low; C - Clean; U - Unknown

Turnaround \*\*

☐ 7-Day

☐ 10-Day

☒ Other 5 days

RUSH \*

☐ \*24-Hr ☐ \*48-Hr

☐ \*72-Hr ☐ \*4-Day

\* Require lab approval

Detection Limit Requirements

Regulations? MCP 5-1/5-2

Data Enhancement Project/RCP? ☒ Y ☐ N

Special Requirements or DL's: See Quote

Matrix Code:

GW = groundwater

WW = wastewater

DW = drinking water

A = air

S = soil/solid

SL = sludge

O = other

\*\*Preservation Codes:

I = iced

H = HCL

M = Methanol

N = Nitric Acid

S = Sulfuric Acid

B = Sodium bisulfate

O = Other

\*\* TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT.



Phone: 413-525-2332  
Fax: 413-525-6405  
Email: info@contestlabs.com  
www.contestlabs.com

# CHAIN OF CUSTODY RECORD

39 SPRUCE ST, 2ND FLOOR  
EAST LONGMEADOW, MA 01028

Page 7 of 9

Company Name: TAC

Address: 650 Suffolk St.

Lowell MA 01854

Attention: David Sullivan

Project Location: City of NB (Wash)

Sampled By: Jeff Saunders

Proposal Provided? (For Billing purposes)

☒ yes Unknown proposal date

State Form Required?

☒ yes ☐ no

Telephone: (978) 656-3565  
Project # 115055  
Client PO #

DATA DELIVERY (check one):

☐ FAX ☒ EMAIL ☐ WEBSITE CLIENT

Fax #:

Email: dsullivan@tsolutions.com

Format: ☒ EXCEL ☐ PDF ☒ GIS KEY

☐ OTHER

Field ID	Sample Description	Lab #	Start Date/Time	Stop Date/Time	Comp. site	Grab	*Matrix Code	Conc. Code
	Post-3C (48-54)		2/16/09	1336			S	U
	Post-3C (54-60)			1338				
	Post-3C (60-66)			1340				
	Post-35 (54-60)			1330				
	Post-3D (6-12)			1400				
	Post-3D (12-18)			1402				
	Post-3D (18-24)			1404				
	Post-3D (24-30)		2/16/09	1406			S	U

Laboratory Comments:

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in Matrix/Conc. Code Box:

H - High; M - Medium; L - Low; C - Clean; U - Unknown

Turnaround \*\*

☐ 7-Day

☐ 10-Day

☒ Other 5 days

☐ \*24-Hr ☐ \*48-Hr

☐ \*72-Hr ☐ \*4-Day

☐ Require lab approval

Detection Limit Requirements

Regulations? 42 CFR 5.1.5-2

Data Enhancement Project/RCP? ☒ Y ☐ N

Special Requirements or DL's: See RCP

\*Matrix Code:

GW = groundwater

WW = wastewater

DW = drinking water

A = air

S = soil/solid

SL = sludge

O = other

\*\*Preservation Codes:

I = Iced X = Na hydroxide

H = HCL T = Na thiosulfate

M = Methanol

N = Nitric Acid

S = Sulfuric Acid

B = Sodium bisulfate

O = Other

ANALYSIS REQUESTED

Total Arsenic  
Total Lead

Client Comments:

\*\* TURNAROUND TIME STARTS AT 9:00 A.M. THE DAY AFTER SAMPLE RECEIPT UNLESS THERE ARE QUESTIONS ON YOUR CHAIN. IF THIS FORM IS NOT FILLED OUT COMPLETELY OR IS INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT.

AIHA, NELAP & WBE/DBE Certified



Phone: 413-525-2332

Fax: 413-525-6405

Email: info@contestlabs.com

www.contestlabs.com

## CHAIN OF CUSTODY RECORD

39 SPRUCE ST, 2ND FLOOR  
EAST LONGMEADOW, MA 01028

Page 4 of 4

Company Name:

TRC

Address:

650 Suffolk St.

Lowell MA 01854

Attention:

David Sullivan

Project Location:

City of NB (Walsh)

Sampled By:

Jeff Saunders

Proposal Provided? (For Billing purposes)

☒ yes ☐ no

State Form Required?

☒ yes ☐ no

Client PO #

Project # 1150058

Telephone: (978) 656-3565

DATA DELIVERY (check one):

☐ FAX ☒ EMAIL ☐ WEBSITE CLIENT

Fax #:

Email: [dsullivan@contestlabs.com](mailto:dsullivan@contestlabs.com)

Format: ☒ EXCEL ☐ PDF ☒ GIS KEY

☐ OTHER

Date Sampled

Start Date/Time

Stop Date/Time

Comp. Code

Grab Code

\*Matrix Code

\*Conc. Code

\*Matrix | Conc. Code

\*Matrix | Conc. Code

\*Matrix | Conc. Code

\*Matrix | Conc. Code

\*Matrix | Conc. Code

\*Matrix | Conc. Code

\*Matrix | Conc. Code

\*Matrix | Conc. Code

\*Matrix | Conc. Code

\*Matrix | Conc. Code

\*Matrix | Conc. Code

\*Matrix | Conc. Code

\*Matrix | Conc. Code

\*Matrix | Conc. Code

\*Matrix | Conc. Code

\*Matrix | Conc. Code

\*Matrix | Conc. Code

\*Matrix | Conc. Code

\*Matrix | Conc. Code

\*Matrix | Conc. Code

\*Matrix | Conc. Code

\*Matrix | Conc. Code

\*Matrix | Conc. Code

\*Matrix | Conc. Code

\*Matrix | Conc. Code

Please use the following codes to let Con-Test know if a specific sample may be high in concentration in Matrix/Conc. Code Box:

H - High; M - Medium; L - Low; C - Clean; U - Unknown

# of containers	
**Preservation	
-Cont. Code	

### ANALYSIS REQUESTED

Total Arsenic  
Total Lead

Client Comments:

-Cont. Code:  
A=amber glass  
G=glass  
P=plastic  
ST=sterile  
V=vial  
S=summary can  
T=lead bag  
O=Other

Field ID	Sample Description	Lab #	Start Date/Time	Stop Date/Time	Comp. Code	Grab Code	*Matrix Code	*Conc. Code
Post-3D	(30-36)		2/16/09	1408			S	U
Post-3D	(36-42)			1410				
Post-3D	(42-48) (initial)			1412				
Post-3D	(48-54)			1420				
Post-3D	(54-60)			1424				
Post-3D	(60-66)			1430				
Post-3E	(6-12)			1432				
Post-3E	(12-18)							

Laboratory Comments:

Relinquished by: (signature)

Date/Time:

Turnaround \*\*

Detection Limit Requirements

\*Matrix Code:

\*\*Preservation Codes:

Received by: (signature)

Date/Time:

10-Day

Regulations? MCP 5-1/5-2

GW= groundwater

I= Iced

Relinquished by: (signature)

Date/Time:

RUSH \*

Data Enhancement Project/RCP? ☒ Y ☐ N

DW= drinking water

H= HCL

Received by: (signature)

Date/Time:

\*24-Hr ☐ \*48-Hr ☐ \*72-Hr ☐ \*4-Day ☐

Special Requirements or DL's: See Quote

A= air

M= Methanol

Received by: (signature)

Date/Time:

\*Require lab approval

S= soil/solid

N= Nitric Acid

INCORRECT, TURNAROUND TIME WILL NOT START UNTIL ALL QUESTIONS ARE ANSWERED BY OUR CLIENT.

3.0.0

2/16/09 1415

Special Requirements or DL's: See Quote

SL= sludge

B= Sodium bisulfate

**Sample Receipt Checklist**
 CLIENT NAME: TRC RECEIVED BY: OE DATE: 2/18/09

1) Was the chain(s) of custody relinquished and signed?

Yes ☒ No ☐

2) Does the chain agree with the samples?

Yes ☒ No ☐

If not, explain:

3) Are all the samples in good condition?

Yes ☒ No ☐

If not, explain:

4) How were the samples received:

On Ice ☒Direct from Sampling ☐Ambient ☐In Cooler(s) ☒

Were the samples received in Temperature Compliance of (2-6°C)?

Yes ☒ No ☐Temperature °C by Temp blank 3.0 Temperature °C by Temp gun \_\_\_\_\_

5) Are there Dissolved samples for the lab to filter?

Yes ☐ No ☒

Who was notified \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_

6) Are there any samples "On Hold"?

Yes ☐ No ☒Stored where: 

7) Are there any RUSH or SHORT HOLDING TIME samples?

Yes ☐ No ☒

Who was notified \_\_\_\_\_ Date \_\_\_\_\_ Time \_\_\_\_\_

8) Location where samples are stored:

19
 Permission to subcontract samples? Yes No  
 (Walk-in clients only) if not already approved

Client Signature: \_\_\_\_\_

**Containers sent in to Con-Test**

	# of containers		# of containers
1 Liter Amber		8 oz clear jar	
500 mL Amber		4 oz clear jar	<u>75</u>
250 mL Amber (8oz amber)		2 oz clear jar	
1 Liter Plastic		Other glass jar	
500 mL Plastic		Plastic Bag / Ziploc	
250 mL plastic		Air Cassette	
40 mL Vial - type listed below		Brass Sleeves	
Colisure / bacteria bottle		Tubes	
Dissolved Oxygen bottle		Summa Cans	
Flashpoint bottle		Regulators	
Encore		Other	

Laboratory Comments:

40 mL vials: # HCl \_\_\_\_\_ # Methanol \_\_\_\_\_

# Bisulfate \_\_\_\_\_ # DI Water \_\_\_\_\_

# Thiosulfate \_\_\_\_\_ Unpreserved \_\_\_\_\_

Time and Date Frozen: \_\_\_\_\_

Do all samples have the proper pH: Yes No N/A