



## Fixa informativu: South Coast Renewables, LLC

**Pididu: Pididu di Lisensa di Dexperdísia Sólida pa Adekuason di lokal pa un Novu Atribuisón di Lokal**

**Kandidatu:** South Coast Renewables, LLC (*anteriurmenti konxedu pa "Parallel Products of New England"*)

**Lokalizason:** 100 Duchaine Boulevard, New Bedford, Massachusetts 02745

**Kategoria di Autorizason di MassDEP:** BWP SW 01; Relatóriu di Adekuason di Lokal pa un Novu Atribuisón di Lokal

**Pididu ePlace №:** 23-SW01-0001-APP

### Introduson

Departamentu di Proteson Ambiental di Massachusetts ("MassDEP") sta atualmenti ta reviza pididu di lisensa listadu asima ("Application"). South Coast Renewables, LLC ("SCR") ta propoi atribuisón di propriedadis lokalizadu na 100 Duchaine Boulevard, New Bedford, Massachusetts, pa konstrui y opera un instalason di administrason di dexperdísia sólida ki sta ba lida ku 1.500 tonelada pur dia ("tpd") di dexperdísia sólida urbanu y dexperdísia di konstruson y demolison ("C&D"). Lokalizason di kel instalason sta sujeitu a prusesu di atribuisón di lokal na 310 CMR 16.00, ki ta destina determina si un área di terenu é un lokal adekuadu pa utilizason komu instalason di administrason di dexperdísia sólida. Atribuisón di lokal é aprobadu ou rejeitadu pa konselhu lokal di saúdi (nes kazu: konselhu di Saúdi di sidadi di New Bedford) dipos di revizon di MassDEP di pididu di relatóriu di adekuason di lokal. Análize di MassDEP di pididu di relatóriu di adekuason di site sta ba inklui un período di kumentárius públiku xtendido di 42 dia. Kel fixa informativu li ten informason sobri prujetu propostu y prusesu di lisensiamentu, sima informason sobri modi ki ta analizadu kandidatura y modi ta apresentadu komentárius.

### Diskrison di Projetu:

#### Lokalizason:

- 100 Duchaine Boulevard na New Bedford, Massachusetts é un parsela di 71-acre lokalizadu dentu New Bedford Industrial Park.
- Propriedadi era anteriusamenti propriedadi di Polaroid Corporation. Polaroid dizinvolvi y opera lokal komu un instalason di fabrikason pa ses produtu. Propriedadi torna mas tardi propriedadi di Multilayer Coating Technologies.
- Propriedadi é jeralmenti limitadu pa propriedadis industrial y Samuel Barnet Boulevard pa norti, propriedadis rezidensial y Phillips Road pa leste, un instalason di manutenson Eversource pa sul, y kaminhus di feru y Acushnet Cedar Swamp State Reservation pa oesti.

**Kel informason sta disponivel na formato alternativu. Txoma Melixza Esenye pa telefono 617-626-1282.**

TTY# MassRelay Service 1-800-439-2370

Website di MassDEP: [www.mass.gov/dep](http://www.mass.gov/dep)

- Desde fevereiro de 2020, SCR opera um instalação de reciclagem de vidro na localidade. SCR tem uma licença de operação de reciclagem, que permite que a instalação processe até 250 toneladas por dia de material reciclável (principalmente vidro). A instalação de reciclagem de vidro está localizada em uma área desocupada no bairro.
- Para a instalação de reciclagem de vidro, SCR construiu um edifício de 27.500 pés quadrados e uma estrada para ligar a estrada existente ao local da instalação.



## **Informason di Prujetu Proposto**

- 22 di fevereirudi 2023, SCR manda un pididu pa MassDEP pa un BWP SW01 – Relatório di Adekuason di Lokal pa un Novu Atribuisón di Lokal, pa atribui un terenu pa konstrui y opera un novu xtason di transferénsia di dixerdiá sólidu ki sta ba aseita até 1.500 tonelada pur dia di dixerdiá sólidu urbanu y dixerdiá di konstruson y demolison (C&D). SCR ta propoi destina 26,1 akres di parsela di 71 akres pa uzu komu xtason di transferénsia di dixerdiá sólidu.
- SCR sta propoi konstrui un edifísiu di 63.517 pé kuadradu (s.f.) ki sa ba kunkta ku edifísius ezistenti (92.200 s.f. edifísiu ezistenti y 27.500 s.f. instalason di resiklajen di vidru) y expandi kaminhu di feru.
- SCR ta propoi aseita dixerdiá sólidu urbanu (RSU) y dixerdiá di konstruson y demolison (C&D) di veíkulu típiku di rekolla di dixerdiá di tudu dimenson y separa, prosesa y konsolida dixerdiá na vagon ferroviáriu pa transporti pa várius lokal di país pa eliminason y/ou resiklajen.
- **Oráriu di Funcionamentu:** SCR ta propoi opera instalason pa resebi dixerdiá di segunda pa sesta-fera di 6h00 pa 19h00 y na sábadu di 7h00 pa 16h00.
  - SCR ta propoi prosesa material (pur izenplu, opera ekipamentus di triajen/separason/prosesamentu di RSU) y realiza manutenson 24 óra pur dia, 7 dia pur semana, inkluidu domingu.
- **Tráfegu:** SCR ta estima ma instalason propostu sta ba jera **aprosimadamente 214 veíkulu novu pur dia (428 viajen di veíkulu pur dia)**, inkluidu 139 kaminhon novu ta transporta dixerdiá sólidu ou resiklável (278 viajen di kaminhon) y 75 veíkulu di funzionárius (150 viajen di funzionárius). Kel estimativa li ta presupoi ki katen trilhus disponível, y tudu dixerdiá sólidu sta ta sai di lokal via kaminhon.

## **Informason sobri lisensiamenti:** prujetu propostu sta sujeitu a siginti prusesu di lisensiamenti:

1. **Atribuisón di Lokal (Prusesu di 2 Etapa)**
  - a) MassDEP: Relatório di Adekuason di Lokal pa un Novu Atribuisón di Lokal (BWP SW 01). *Kel pididu li ta inklui un períodu di kumentárius públiku di 42 dia.*
  - b) New Bedford Board of Health: Konselhu di Saúdi ta vota si devi atribui instalason propodu. Konselhu di Saúdi devi realiza un audiénsia públiku antis di aprova ou nega un Atribuisón di Lokal pa instalason propodu.
2. MassDEP: Autorizason pa Konstrui Grandi Instalason Di Tratamentu (BWP SW 05) lisensa mestedu antis di konstruson di instalason propodu. *Kel prusesu li ta inklui un períodu mínimu di 30 dia pa kumentárius públiku.*
3. MassDEP: Autorizason pa Opera Grandi Instalason Di Tratamentu (BWP SW 06) lisensa mestedu antis di operason di instalason propodu.

SCR sta atualmenti na Etapa 1: Relatório di Adekuason di Lokal pa un Novu Atribuisón di Lokal (BWP SW 01). Djobe dibaxu informason sobri prusesu di Atribuisón di Lokal.

## **Informason adisional sobri prusesu di aAtribuisón di Lokal**

- Atribuisón di lokal é konsidetu pa konselhu lokal di saúdi dipos di revizon di MassDEP di pididu di atribuisón di lokal.
- Prusesu di atribuisón di lokal é pa determina si un parselu di terenu é un lokal adekuadu pa utilizason komu instalason di administrason di dixeridísiu sólidu. Kel revizon ta determina si lokal (ou seja, lokalizason ou parselu) ta atendi tudu kritérius di adekuason xtabelesidu na Regulamentus di Atribuisón di Site na 310 CMR 16.40. Pa SCR, kritérius di adekuason aplikável é: 310 CMR 16.40(3)(d)1-7: Kritérius pa Instalason di Tratamentu di Dixeridísiu Sólidu y 310 CMR 16.40(4)(a)-(l): Kritérius Jeral di Adekuason di Lokal - link di pájina: 310 CMR 16.00: Atribuisón di Lokal pa Instalason di Dixeridísiu Sólidu | Mass.gov
- Kritérius di adekuason ta destina proteji Saúdi pùbliku, seguransa y ambienti, ta iziji ki ta ser mantidu distánsia mínimu en relason a abastesimentu di agua potável, rezidénsias, ospital, skolas y otus resetor sensível.
- Kritérius di adekuason sta igualmenti destinadu pa respondi preokupason relativu a tráfegu, ruídu, espésies raru y ameasadu, proteson di xpasu abertu, kualidadi di ar, terenus agrícola, zonas di preokupason ambiental krítiku y potensial inkómodu. Revizon tanben ta inklui un avaliason pa determina si lokal ten dimenson sufisienti pa funsiona y manti adekuadamente instalason propostu. Prusesu di atribuisón di lokal ta destina determina si un parselu di terenu é un lokal adekuadu pa un instalason di administrason di dixeridísiu sólidu. Kalker algén ki ta propoi konstrui un novu depózitu di dixeridísiu sólidu, instalason di konbuston ou xtason di transferénsia é obrigadu aprezenta un relatóriu di adekuason di lokal pa MassDEP y pa konselhu lokal di saúdi.

## **Atribuisón di Lokal é un prusesu di 2 etapa:**

### **1º PASU**

**MassDEP** - MassDEP ta analiza un pididu di adekuason di lokal pa determina si un parselu di tera ta atendi kritérius xpesífiku pa uzu komu un instalason di jerensiamentu di dixeridísiu sólidu.

- a. Si MassDEP ta determina ma un lokal ta atendi tudu kritérius di lokalizason, MassDEP sta ba emitir un Relatóriu di Adekuason di lokal pa konselhu lokal di saúdi ku un determinason pozitivu.
- b. Si MassDEP ta determina ma un lokal ka ta atendi tudu kritérius di lokalizason, MassDEP ta fazi un Relatóriu di Adekuason di lokal pa konselhu lokal di saúdi ku un determinason negativu. MassDEP ta enkaminha ses konkluzon pa konselhu lokal di saúdi. NOTA: Prusesu so ta avansa pa etapa 2 abaxu si MassDEP emitir un relatóriu ku un determinason pozitivu. Si MassDEP emitir un relatóriu ku determinason negativu, konselhu di Saúdi ka ta avansa ku prusesu di atribuisón di lokal.

## 2º PASU

**Konselhu di Saúdi** - Kandu resebi relatório di MassDEP ku un determinason pozitivu, konselhu lokal di saúdi devi fornesi avizu públiku na jornal, realiza se próprio revizon tékniku y realiza un Audiénsia públiku. **Dipos di audiénsia públiku, konselhu lokal di saúdi vota si devi ou nãu atribiu lokal pa propriedadi.**

## *Justisa Anbiental (EJ)*

Mekanismu propostu sta lokalizadu dentru di un komunidadi EJ ki ta atendi kritérius minoritárius (konsulta mapa abaixu). Área é identifikadu komu Block Group 3, Sensus Tract 6501.02, Kondadu di Bristol, Massachusetts. Na 2020, kel grupu di blokus tinha un populason di 1.643 na 765 domisíliu. Karakterísticas di EJ di kel grupu di blokus é:

- Populason minoritáriu: **33,4%**
- Rendimentu medianu di família (MHHI): **\$74,653**  
Keli é **88,5%** di MA MHHI
- Agregadus familiar ku izolamentu linguístiku: **10,6%**


Sidadi di New Bedford é un komunidadi di Justisa Anbiental (EJ) ki ta atendi kritérius di minoria, renda y izolamentu di inglés, ku 78,9% ou 79.729 rezidentis ta rezidi na un grupu di blokus di EJ. Populason total di New Bedford, ku bazi na sensus merkanu di 2020, é 101.079 abitanti.

Skritóriu Ezekutivu di Enerjia y Asuntus Anbiental di Massachusetts (EEA), pa meiu di se Polítika di Justisa Anbiental (Política EJ) di 2021, determina ma tudu agénsias di AEA ta stabelesi un programa di partisipason públiku inkluzivu y robustu pa Ason/Atividadis Xave di Agénsia (Ason/Atividadis-Xave) ki potensialmenti ta afeta populason di Justisa Anbiental. MassDEP dizinvolvi un planu di envolvimentu público (PIP) pa kel lisensa li (Relatório di Adekuason di Lokal pa un Novu Atribuisón di Lokal (BWP SW 01) pa garanti ma ta izisti oportunidadis pa partis interesadu y pesoas pas kumenta sobri prjetu y pa midjora alkanse di komunidadi y kumentárius público signifikativu.

Si bu ta gostaba di ser inkluídu na lista di divulgason di MassDEP pa kel projetu li, entra en kontatu ku Alison Cochrane na [alison.cochrane@mass.gov](mailto:alison.cochrane@mass.gov) ou pa telefone na (617) 694-3441 ou Elza Bystrom na [elza.bystrom@mass.gov](mailto:elza.bystrom@mass.gov) ou via telefone pa (617) 413-2711.

## Census 2020 Environmental Justice Populations

- Yellow: Minority
- Green: Income
- Light Blue: English Isolation
- Dark Green: Minority and Income
- Pink: Minority and English Isolation
- Cyan: Income and English Isolation
- Dark Blue: Minority, Income and English Isolation



### Kronogramma di Pididu

Rejion Sudesti di MassDEP sta atualmenti ta reviza BWP SW01 – pididu di Relatório di Adekuason di Lokal pa un Novu Atribuisón di Lokal, ki foi resebidu na 22 di fevereru di 2023. Pazu di autorizason pa kel li pididu é sington:

- 21 dia pa Revizon Administrativu Integral, sigidu di
- Avizu Públiku y Períodu di kumentárius Públiku y
- 81 dia pa Revizon Tékniku
  - MassDEP sta ba aseita kumentárius públiku duranti primerus 42 dia di períodu di revizon tékniku.

Normalmenti, un Relatório di Adekuason di Lokal pa un Novu Atribuisón di Lokal (BWP SW 01) ten un períodu di revizon tékniku di 60 dia, inkluindu un períodu di kumentárius públiku di 21 dia. Pa kel pididu li, MassDEP y SCR ta konkorda na alarga períodu di kumentárius públiku pa mas 21 dia, pa un total di 42 dia, ki tanben ta stendi períodu di revizon tékniku pa 81 dia.

## *Modi ki ta revizadu pididu di lisensa*

Pididu di lisensiamentu sta disponível pa konsulta públiku na Portal di Asesu Públiku ePlace di AEA, na <https://eeaonline.eea.state.ma.us/EEA/PublicApp/>. Djobe instruson abaxiu.

*Role pa baxu na primeru tela y dentu kaxa "Site Name/Location Name" skrevi South Coast Renewables y, dipos, desi pa baxu y klika na kaxa laranja "Search" na parti inferiur di pájina.*

[Help/FAQs](#)

**Search By**

**digite  
"South  
Coast  
Renewables"**

<b>Site Name / Location Name</b>	<input type="text" value="Site Name / Location Name"/>	
<b>Individual licensee</b>	<input type="text" value="Individual licensee"/>	

---

**Location**

<b>Address</b>	<input type="text" value="Address"/>	
<b>City</b>	<input type="text" value="City"/>	
<b>State</b>	<b>Zip code</b>	
<input type="text" value="Massachusetts"/>		<input type="text" value="Zip code"/>

**Country**

<input type="text" value="United States of America"/>	
---	--

---

**Record**

<b>Record ID</b>	<input type="text" value="Record / Application ID"/>	
------------------	--	--

**> [Advanced Search](#)**

**Search**   **<----- CLIQUE "SEARCH" AQUI**

Dibaxu di "Record Type", seleciona fixeru di "Application" ku "Application Date" di 13/02/2023

Selezione →	Site Name/Park Name	Record Type	Category	Project Name	City	Application	Date
	1 SOUTH COAST RENEWABLE... SMRE 100 LLC and SMRE Sublot 20, L...	SW01	Application	Site Suitability Report	NEW BEDFORD	02/13/2023	

Pididu di lisensa y dokumentus konprovativu ta parsi na link ki sta na azul. Klika na un link di kada vez pa asedi kada dokumentu separadu.

**Application Documents** ⓘ

[\(Supporting Attachment\) SCR Timeline Extension Request Approval.pdf](#)

[\(Supporting Attachment\) Timeline Extension Request letter\\_022823\\_signed.pdf](#)

[\(Proof of Record\) SW01-POR\\_20230213\\_160501.pdf](#)

[\(Report/ Narrative\) SCR - Site Suitability Narrative 2-13-23.pdf](#) <--- AQUI ESTÁ A NARRATIVA DA APLICAÇÃO

[\(Proof of Payment of Technical Fee\) Proof of Technical Fee Payment.pdf](#)

[\(Site Plans and Maps\) Inserts 1-8.pdf](#) <--- PLANOS DO LOCAL

[\(Permit Application Form with Applicant Certification completed\) BWP SW 01.pdf](#)

[\(Report/ Narrative\) Attachments 7-13.pdf](#) <--- ANEXOS

[\(Report/ Narrative\) Attachments 1-6.pdf](#) <---

[\(MEPA Certificate or evidence that MEPA is not required\) 15990 SFEIR MEPA Certificate.pdf](#)

Site Suitability Report

CLIQUE LINKS AZUIS PARA ABRIR OS DOCUMENTOS DO PROJETO

Kandidatura tanben podi ser konsultadu online na site di South Coast Renewables na:  
<https://parallelproductssustainability.com/#new-bedford>.

## **Modi ki ta Enviadu Kumentárius Públiku pa MassDEP**

**Períodu ofisial alargadu di kumentárius públiku di 42 dia** ta ten inísiu kandu kandidatura for konsideradu Administrativamenti Konpletu y Kandidatu ta fornesi prova pa MassDEP ma Avizu Públiku foi devidamenti publikadu. Períodu ofisial di kumentárius públiku pa es pididu KA sta atualmenti abertu: nu entantu, MassDEP sta konvido-u pa djobe kandidatura y kumesa ta prepara komentárius. Si bu resebi kel e-mail li, MassDEP sta ba notifiko-u – via e-mail – logu ki períodu di kumentárius públiku di 42 dia sta abertu.

Asin ki abertu Períodu di kumentárius Públiku, MassDEP sta ba aseita kumentárius pur skritu di un di trés forma:

1. **VIA KUREIU DI MERKA:** pa

Massachusetts Department of Environmental Protection  
20 Riverside Drive  
Lakeville, MA 02347  
Attn: Mark Dakers

2. **VIA E-MAIL:** pa "[sero.solidwaste@mass.gov](mailto:sero.solidwaste@mass.gov)"; ou

3. **ONLINE:** na <https://eeaonline.eea.state.ma.us/EEA/PublicApp/>. \*djobe instruson dibaxu

**\* Instruson Online**

1. Vizita <https://eeaonline.eea.state.ma.us/EEA/PublicApp/>

2. Desi pa baxu na primeru tela y klik na boton laranja ki ta fla "Search and/or Comment"



3. Si Períodu di Kumentárius Públiku sta abertu, bu ta odja "South Coast Renewables" listadu na rejistru inkontradu. Selesiona rejistru "South Coast Renewables".

4. Prenxi kanpus obrigatóriu y bu kumentáriu y klik na boton laranja "Submit".



## Informason di Kontatu di MassDEP pa kalker dúvida

- Mark Dakers, Dexperdísia Sólidu di MassDEP Chefe di Sekson di Administrason  
Telefone: (508) 946-2847  
E-mail: [mark.dakers@mass.gov](mailto:mark.dakers@mass.gov)
- Alison Cochrane, Enjenheru di Dexperdísia Sólidu di MassDEP  
Telefone: (617) 694-3441  
E-mail: [alison.cochrane@mass.gov](mailto:alison.cochrane@mass.gov)
- Elza Bystrom, Enjenheru di Dexperdísia Sólidu di MassDEP  
Telefone: (617) 413-2711  
E-mail: [elza.bystrom@mass.gov](mailto:elza.bystrom@mass.gov)
- Rejion Sudesti di MassDEP  
Linha di Reklamason di Dexperdísia Sólidu  
(508) 946-2828

## Kontatu di Kandidatu

**Gregory C. Wirsén, MSc.**  
Vice President  
Green Seal Environmental, LLC  
114 State Road, Building B  
Sagamore Beach, MA 02562  
[greg@gseenv.com](mailto:greg@gseenv.com)  
[www.gseenv.com](http://www.gseenv.com)