

PROPOSED FRONT ELEVATION




The state of the s

Store Name Thue Value Hardware	MULHAR ANTHUM ROOM STALL M.	+0000 V ANVOE DIL DIK THY VICTORIO +010NE HARRE III LO DE THY ON JUE AL HI LINTE ANTTHE (1000 000H
Jhue Value	ware	Hard
Store Name	Value	Jame
	Name	4 Store

The Value


Boys Panning and Design


and it begins to come in the common in the common



PROPOSED STREET ELEVATION

- RELOCATE EXISTING SIGNAGE
- 5' TALL ACRYLIC SIGN
- 10" ACRYLIC LETTERING
- REFACE CABINET SIGN WITH RED STRIPE AND WHITE LETTERS





Standard Marine Outfitters #20433-2



Standard Marine Outfitters — New Bedford, MA

Plumbii	SIGN G	36" True Value 12" Hardware & Marine	SIGN B
	25 11 15 30		
Bottom		Bottom of sign to grade = TBD	
Top of	To Grade: Top of s	To Grade: Top of sign to grade = TBD	To Grade:
5.91	Square Footage: 5.91	50.00	Square Footage: 50.00
Non-IIu	Illumination: Non-Ilu	Illumination: Internally Illuminated w/ LED's	Illumination:
Type: Routed	Туре:	Type: Single-Face Wall Sign	Туре:
Electric	SIGN F	True Value	SIGN A

SIGN B	36" True Value 12" Hardware & Marine	
Туре:	Type: Routed Acrylic Letters	
Illumination:	Illumination: Non-Illuminated	
square Footage: 75.07	75.07	(0
To Grade:	To Grade: Top of sign to grade = TBD	
	Bottom of sign to grade = TBD	
		ı

	To Grade:	Square Footage: 3.24	Illumination:	Туре:	SIGN C
Bottom of sign to grade = TBD	To Grade: Top of sign to grade = TBD	3.24	Illumination: Non-Iluminated	Type: Routed White Acrylic Letters	Paint
		Squa			SIG

	To Grade:	Square Footage: 3.46	Illumination:	Туре:	SIGN D
Bottom of sign to grade = TBD	To Grade: Top of sign to grade = TBD	3.46	Illumination: Non-lluminated	Type: Routed White Acrylic Letters	Tools

SIGN E	Lawn & Garden
Type:	Type: Routed White Acrylic Letters
Illumination:	Illumination: Non-lluminated
Square Footage: 9.86	9.86
To Grade:	To Grade: Top of sign to grade = TBD
	Bottom of sign to grade = TBD

SIGN F	Electrical
Type:	Routed White Acrylic Letters
Illumination:	Non-Iluminated
Square Footage:	5.91
To Grade:	Top of sign to grade = TBD
	Bottom of sign to grade = TBD
Sec. 11 11 110	
SIGN G	Plumbing
Туре:	Routed White Acrylic Letters
Illumination:	Non-Iluminated
Square Footage:	7.83
To Grade:	Top of sign to grade = T8D
	Bottom of sign to grade = TBD

SIGN H	Located In Back
Type:	Type: Routed White Acrylic Letters
Illumination:	Illumination: Non-Iluminated
quare Footage: 8.27	8.27
To Grade:	To Grade: Top of sign to grade = TBD
	Bottom of sign to grade = TBD

SIGN I	TrueValue
Туре:	Type: Panel Replacement: New 3/16 white lexan w/ applied digital vinyl graphics
Actual Size: 60" x 120"	60" x 120"
Viewable Size: 56" x 116"	56" x 116"
Square Footage: 50.00	50.00



Popes	
O O O	1
ign B ign C ign D Sign A	
Sign G Sign F Sign E	
IN THE SIGN LAND TO SIGN LAND T	
	ho



	1	8		201			
			Address:	Sile #:)	Client:	
	New Deglord, MA 02/40	Now Bodford MA 00740	Address: 137 Popes Island	Site #: 1V-2U4332	1,0000	Client: TrueValue	
RΕ	V	IS	101	, 	04/17/2019	0 04/16/2019	
)19 Updated Pylon Reface)19 Original Rendering	

					ΚB	æ
with questions regarding this statement.	Please contact your account manager	distributed reproduced or exhibited	unpublished original drawing not to be	requested the rendering. It is an	Sign, Inc. It is for the exclusive use of	This rendering is the property of Anchor
			A	6		




SIGN A	True Value
Type:	Type: Single-Face Wall Sign
Illumination:	Illumination: Internally Illuminated w/ LED's
Square Footage: 50.00	50.00
To Grade:	To Grade: Top of sign to grade = TBD
	Bottom of sign to grade = TBD
SIGN I	TrueValue
Type:	Panel Replacement: New 3/16 white
	lexan w/ applied digital vinyl graphics
Actual Size: 60" x 120"	60" x 120"


Viewable Size: 56" x 116" Square Footage: 50.00

To Grade: T	Square Footage: 8.27	Illumination: Non-Iluminated	Type: F	SIGN H L
To Grade: Top of sign to grade = TBD Bottom of sign to grade = TBD	.27	lon-lluminated	Type: Routed White Acrylic Letters	Located In Back

to new location	Sign is to be move	"Standard Marine"—
	ed d	1



10'-0" [120"]



60"

Front Elevation (Southeast) Scale: N.T.S.

"Standard Marine"
Sign is to be moved to this location

9'-11 1/8" [119 1/8"]

	New Bedford, MA U2/40		Address: 137 Popes Island	OILE #. 1 V-204332	C#5 #: TV 201/222	Client: TrueValue
RE	VI	SI	10	7 1	5 04/17/2019	04/16/2019
					Updated Pylon Reface	Original Rendering K
₩i,	₽₹	dis	on.	781	⟨B	G I
with questions regarding this statement	Without the consent of Anchor Sign, Inc.	distributed, reproduced or exhibited	unpublished original drawing not to be	requested the rendering. It is an	Appeter Sign Inc. or the exclusive use of	This rendering is the property of Anchor

True Value.



SIGN B	36" True Value 12" Hardware & Marine
Type:	Type: Routed Acrylic Letters
Illumination:	Non-Illuminated
Square Footage: 75.07	75.07
To Grade:	Top of sign to grade = TBD
SIGN E	Lawn & Garden
Type:	Routed White Acrylic Letters
Illumination:	Non-Iluminated
Square Footage:	9.86
To Grade:	Top of sign to grade = TBD
	Bottom of sign to grade = TBD

SIGN C	Paint
Type:	Type: Routed White Acrylic Letters
Illumination:	Illumination: Non-lluminated
Square Footage: 3.24	3.24
To Grade:	To Grade: Top of sign to grade = TBD
	Bottom of sign to grade = TBD
 SIGNE	Electrica
Туре:	Routed White Acrylic Letters
Illumination:	litumination: Non-lluminated
Square Footage: 5.91	5.91

To Grade: Top of sign to grade = TBD

Bottom of sign to grade = TBD

Square Footage: 7.83

To Grade: Top of sign to grade = TBD

Bottom of sign to grade = TBD

Type: Routed White Acrylic Letters
Illumination: Non-Illuminated

Type: Routed White Acrylic Letters Non-lluminated
Square Footage: 3.46
To Grade: Top of sign to grade = TBD Bottom of sign to grade = Ti
SIGN G

OH		
1		

HARDWARE & MARINE	EQ 15'-6 3/8" [186 3/8"] EQ
Paint Tools	3:27/8", 3:51/2"
Lawn & Garden	9'-10 1/4"
Electrical	5'-10 7/8"
Plumbing	6'-0 3/4"
12" 15 1/2"	

58*



		JIPPO W STORES		1111			
		1	Address:	Olle #:	2	(110)	Client:
	New Decicia, MA 02/40	Now Bodford MA 00740	Address: 137 Popes Island	Site #: 1 V-204332	TV 004000		Client: TrueValue
RE	EV	IS	101	7	2 04/1//2018	04/47/00/	0 04/16/2019
					Updated Fyloli Relace	I Indoted Dide	Original Rendering

KB
This rendering is the property of Anchor
KB
Sign, Inc. It is for the exclusive use of
Anchor Sign, Inc. and the party which
requested the rendering. It is an
unpublished original drawing not to be
distributed, reproduced or exhibited
without the consent of Anchor Sign, Inc.
Please contact your account manager
with questions regarding this statement.



OIGN A	
	Type: Single-Face Wall Sign
=	Illumination: Internally Illuminated w/ LED's
Square	Square Footage: 50.00
	To Grade: Top of sign to grade = TBD Bottom of sign to grade = T

Electrical Detail:

(x) 60w Transformer White LEDs (PLED White)

Total Amps: x.x
(1) 20 amp 120V Circuit Req.

General Notes:

This sign is to be installed in accordance with the requirements of Article 600 of the National Electrical Code.


- 1) Grounded and bonded per NEC 600.7/NEC 250
 2) Existing branch circuit in compliance with
 NEC 600.5, not to exceed 20 amps
 3) Sign is to be UL listed per NEC 600.3
 4) UL disconnect switch per NEC 600.6- required per sign component before leaving manufacturer* *For multiple signs, a disconnect is permitted but not required for each section

Specifications: Wall Sign, Lexan Face

Sign Layout Detail

Scale: 1/2" = 1'-0"

- 1. Facade: TBD
- 0.080" Aluminum sign cabinet painted to match TBD. 2" x 2" x 4"L aluminum angle brace
- 2" x 2" Aluminum angle retainers painted to match TBD
- 2" x 2" x 3/16" aluminum angle back perimeter frame, 1 1/2" x 1 1/2" x 3/16" Aluminum angle front perimeter frame and cross members w/ 1" x 1/2" x 3/32" aluminum tube vertical back braces
- ဂ္ပ White lexan face with first surface digitally printed vinyl and applied clear vinyl (3M-3658G)
- .7 6 Sign cabinet contains White LEDs and transformers
- Disconnect switch UL Outdoor rated toggle type w/ neoprene boot per NEC 600-6
- Primary electrical feed
- Mounting hardware to suit



Section @ S/F Wall Sign **LED Illum** Scale: N.T.S

G G This rendering is the property of Anchor Sign, Inc. It is for the exclusive use of Anchor Sign, Inc. and the party which requested the rendering. It is an unpublished original drawing not to be distributed, reproduced or exhibited without the consent of Anchor Sign, Inc. Please contact your account manager with questions regarding this statement.




eValue.								
	Address:	Site #:	Client:					
New Bedford, MA	Address: 137 Popes Island	Site #: TV-204332	Client: TrueValue					

lient:	Slient: TrueValue	0	04/16/2019	Original Rendering
		F		I leadered Defense
*	% #: TV 201222	N	04/1//2019	Updated Fylon Relace
)(E #.	1V-ZU403Z	1		
	1011	٨		
ress:	iress: 137 Popes Island	0		
	Now Bodford MA 00740	IS		
	NOW DOUIDIN, INIT OZ 140	V		
		E		
		21		

IGN B	36" True Value 12" Hardware & Marine	
Type:	Type: Routed Acrylic Letters	
Illumination:	Illumination: Non-Illuminated	
uare Footage: 75.07	75.07	
To Grade:	To Grade: Top of sign to grade = TBD	
	Bottom of sign to grade = TBD	

Sq

<u>S</u>



Facade: TBD

1" Routed RH White-Acrylic Letters

Sign Layout Detail Scale: 3/8" = 1'-0"

Mounted with ——studs and silicone

Section @ Routed Acrylic Letters

Scale: N.T.S.

		New Dedicid, MA 02/40	Non Dodford MA 00740	nadices: 10/1 opes island	Address: 137 Dones Island	Site #: 1V-204332		Oligiti: Hac yalac	Client: TrueValue
	RE				10C	1	Z 04/1/2019 Opuated Fylori Netaca	_	○ 04/16/2019 Original Rendering
200								KR .	ΚB
	with questions regarding this statement.	Please contact your account manager	without the consent of Anchor Sign, Inc.	distributed, reproduced or exhibited	unpublished original drawing not to be	requested the rendering. It is an	Anchor Sign, Inc. and the party which	Sign, Inc. It is for the exclusive use of	This rendering is the property of Anchor



SIGN E	Lawn & Garden
Туре:	Type: Routed White Acrylic Letters
Illumination:	Illumination: Non-Iluminated
Square Footage: 9.86	9.86
To Grade:	To Grade: Top of sign to grade = TBD
	Bottom of sign to grade = TBD


lawn 39 5/8" [Lawn] 10 7/8"[&] 9'-10 1/4" [118 3/8"] Garden 55 3/4" [Garden]

Facade: TBD

3/4

12"

Sign Layout Detail
Scale: 3/4" = 1'-0"



Section @ Routed Acrylic Letters

Scale: N.T.S.

True Value

Ø			
1	Address:	Site #:	Client:
New Bedford, MA 02740	Address: 137 Popes Island	Site #: TV-204332	Client: TrueValue

ı	R	E۷	IS	10	NI	NF	C
						04/17/2019	04/10/2019
						Updated Pylon Reface	-
						KB	Æ
ĺ	-			_			



SIGN F	Electrical
Туре:	Type: Routed White Acrylic Letters
Illumination:	Illumination: Non-lluminated
Square Footage: 5.91	5.91
To Grade:	To Grade: Top of sign to grade = TBD
	Bottom of sign to grade = TBD



Facade: TBD

34


Mounted with studs and silicone

5'-10 7/8" [70 7/8"]

Sign Layout Detail
Scale: 3/4" = 1'-0"



Scale: N.T.S.



Address: 137 Popes Island

REVISION INFO

04/16/2019 04/17/2019

Original Rendering
Updated Pylon Reface

New Bedford, MA 02740

Client: TrueValue
Site #: TV-204332




SIGN G	Plumbing
Type:	Type: Routed White Acrylic Letters
Illumination:	Illumination: Non-lluminated
Square Footage: 7.83	7.83
To Grade:	To Grade: Top of sign to grade = TBD
	Bottom of sign to grade = TBD



Sign Layout Detail Scale: 3/4" = 1'-0"

중 중 This rendering is the property of Anchor Sign, Inc. It is for the exclusive use of Anchor Sign, Inc. and the party which requested the rendering. It is an unpublished original drawing not to be distributed, reproduced or exhibited without the consent of Anchor Sign, Inc. Please contact your account manager with questions regarding this statement. Scale: N.T.S.



Section @ Routed Acrylic Letters



Address: 137 Popes Island


REVISION INFO

Original Rendering
Updated Pylon Reface


New Bedford, MA 02740

Client: TrueValue
Site #: TV-204332

SIGN H	Located In Back
Type:	Type: Routed White Acrylic Letters
Illumination:	Illumination: Non-Iluminated
Square Footage: 8.27	8.27
To Grade:	To Grade: Top of sign to grade = TBD
	Bottom of sign to grade = TBD



Sign Layout Detail
Scale: 3/4" = 1'-0"



Section @ Routed Acrylic Letters

Scale: N.T.S.



ē			
	Address:	Site #:	Client:
New Bedford, MA 02740	Address: 137 Popes Island	Site #: TV-204332	Client: TrueValue

REVISION INFO

		04/17/2019	04/16/2019
		Updated Pylon Reface	Original Rendering
		Æ	ΚB




TrueValue	
Panel Replacement: New 3/16 white lexan w/ applied digital vinyl graphics	
60" x 120"	
56" x 116"	
50.00	
	120"
And the state of t	116"
	12 1/2" 12 1/2" 12 1/2"
9 1/2*[S] STAND	ARD MA
0	JIFITIERS
TrueVal	WE HARDWARE &
New Replacement QTY 2 (1 SET)	New Replacement Panel - Existing D/F
	9 1/2 S) 30" x 120' 50" x 116' 50.00



Specifications:

- 1. New 3/16" White Lexan Face
- 2. Applied Digital Vinyl Graphics: Top Portion (Colors to match):
- 3M 3630-22 (Black) 3M 3630-126 (Dark Emerald Green)
- Bottom 10" Strip (Red vinyl with color to match): 🛮 3M 3630-97 (Bristol Blue) 🗧 3M 3630-125 (Golden Yellow) ■ 3M 3630-33 (Red) ■ 3M 3630-36 (Blue)
- Pantone 186C
- 3. Existing 2" Retainers (Visible Opening)



Existing

MARINE

-3 1/2"[E]

N

SIANDARD MARINE

Proposed Pylon **Elevation**

Scale: N.T.S.

쯦 This rendering is the property of Anchor Sign, Inc. It is for the exclusive use of Anchor Sign, Inc. and the party which requested the rendering. It is an unpublished original drawing not to be distributed, reproduced or exhibited without the consent of Anchor Sign, Inc. Please contact your account manager with questions regarding this statement.





Original Rendering
Updated Pylon Reface